

CORRIGENDUM-1

In continuation to RFP No WBSCB/TENDER/CCTV/1.1 dated 04.10.2021 for selection of vendor for supply and installation of CCTV and in consideration of the pre-bid queries by the intending bidders, the appropriate authority has decided as follows:

SI No	Particulars	Original script as per original RFP	Page No	Changes
1	IR DOME CAMERA (Annexure-A, Part III, SI No-3)	NIGHT VISION 2MP CAMERA: 1/2.7" CMOS, ICR, 1920x1080:30fps, H.265/H.264/MJPEG, Triple stream, DC12V & PoE, DWDR, IP67 & IK10 (as applicable), Fixed lens (2.8mm,4mm), IR range: up to 30mtr. 2-Axis Preferred Make :Honeywell / Hikvision / Zicom / Bosch / Sony / CP Plus / Dahua / Equivalent	Page-32	NIGHT VISION 2MP CAMERA: CMOS within range of 1/2.7" to 1/3.0", ICR, 1920x1080:30fps, H.265/H.264/MJPEG, Triple stream, DC12V & PoE, DWDR, IP67 & IK10 (as applicable), Fixed lens (2.8mm,4mm), IR range: up to 30mtr. 2-Axis Preferred Make :Honeywell / Hikvision / Zicom / Bosch / Sony / CP Plus / Dahua / Equivalent
2	IR BULLET CAMERA (Annexure-A, Part III, SI No-4)	NIGHT VISION 2MP CAMERA: 1/2.7" CMOS, ICR, 1920x1080:30fps, H.265/H.264/MJPEG, Triple stream, DC12V & PoE, IP67, Fixed lens (4mm,6mm), IR range: up to 30 mtr. IR anti-reflection window (as applicable), Bulit-in bracket. Preferred Make :Honeywell / Hikvision / Zicom / Bosch / Sony / CP Plus / Dahua / Equivalent	Page-32	NIGHT VISION 2MP CAMERA: CMOS within range of 1/2.7" to 1/3.0", ICR, 1920x1080:30fps, H.265/H.264/MJPEG, Triple stream, DC12V & PoE, IP67, Fixed lens (4mm,6mm), IR range: up to 30 mtr. IR anti-reflection window (as applicable), Bulit-in bracket. Preferred Make :Honeywell / Hikvision / Zicom / Bosch / Sony / CP Plus / Dahua / Equivalent
3	Digital TV Set for Display: Size: 42 Inch; (Annexure-A, Part III, SI No-7)	Type: LED; Resolution: Full HD 1920x1080 pixels; Contrast ratio: 1000000 :1; Horizontal and Vertical viewing angle: 89°; Response time: 5 ms; HDMI Ports: 1(Side), 3(Rear); USB Supports for Audio, Video; Image Rf Input analog Coaxial Ports: 1(Bottom); Ethernet Sockets: 1; Component Output RGB Input Ports: 1(Bottom); Composite Input Audio Video Cable Ports: 2(Rear); MHL Enabled: yes; Usb Ports: 02; Nfc Ports: Yes; Digital optical Audio Output Ports: 01; Head phone speaker Output Ports: 01; Video: HDMI, RF, Component video signals, with AUTO, PAL, NTSC, SECAM analog TV and DVB digital TV format. It should support JPEG, PNG image formats and 3GP, ASF, AVI, MKV, MOV, MP4, MPEG- 1, MPEG2PS, MPEG2TS, VOB, WMV video formats; Audio: AAC, LPCM, MP3, WAV, WMA supported with Dolby Digital, Dolby Digital Plus, Dolby Pulse sound technology and 02 speakers; Smart TV feature with	Page-32	Type: LED; Resolution: Full HD 1920x1080 pixels; Contrast ratio: 1000000 :1; Horizontal and Vertical viewing angle: 89°; Response time: 5 ms; HDMI Ports: 1(Side), 3(Rear); USB Supports for Audio, Video; Image Rf Input analog Coaxial Ports: 1(Bottom); Ethernet Sockets: 1; Component Output RGB Input Ports: 1(Bottom); Composite Input Audio Video Cable Ports: 2(Rear); MHL Enabled: yes; Usb Ports: 02; Nfc Ports: Yes; Digital optical Audio Output Ports: 01; Head phone speaker Output Ports: 01; Video: HDMI, RF, Component video signals, with AUTO, PAL, NTSC, SECAM analog TV and DVB digital TV format. It should support JPEG, PNG image formats and 3GP, ASF, AVI, MKV, MOV, MP4, MPEG- 1, MPEG2PS, MPEG2TS, VOB, WMV video formats; Audio: AAC, LPCM, MP3, WAV, WMA supported with Dolby Digital, Dolby Digital Plus, Dolby Pulse sound technology and 02 speakers; Smart TV feature with DLNA, MHL, Photo share, Smartphone connect, WiFi Direct, Fluctuation protection. It should work on 100 - 240 V and Power consumption: 0.5 W. It should be supplied with

		DLNA, MHL, Photo share, Smartphone connect, WiFi Direct, Fluctuation protection. It should work on 100 - 240 V and Power consumption: 0.5 W. It should be supplied with Television, Remote, 2 Remote Batteries, User Manual, Warranty Card. Preferred make: Sony/LG/Onida/Samsung/ MI		Television, Remote, 2 Remote Batteries, User Manual, Warranty Card. [Display unit to be operational as 24 x 7] Preferred make: Sony/LG/Onida/Samsung/ MI
4	HARD DISK 8 TB / 4 TB (Annexure-A, Part III, SI No-10)	For backup and data storage Preferred make: WD/Seagate	Page-33	For backup and data storage Surveillance Hard Disk Drive-5400 RPM Preferred make: WD/Seagate
5	Power Cable (Annexure-A, Part III, SI No-12)	2 Core.75 sq.mm unarmoured power cable with copper conductor cable as required	Page-33	3 Core 1.0 sq.mm unarmoured power cable with copper conductor cable as required
6	PVC Conduit pipe (Annexure-A, Part III, SI No-13)	¾ PVC Conduit Pipe alongwith accessories in surface/ recess including cutting the wall and making good the same	Page-33	¾ PVC Conduit Pipe alongwith accessories (ISI make) in surface/ recess including cutting the wall and making good the same
7	Retention money (cl 1.6)	The retention percentage (i.e deduction from interim bill and final bill) shall be 5% of the gross value of each interim bill and/or final bill.	Page-6	The retention percentage (i.e deduction from interim bill) shall be 5% of the gross value of each interim bill.
8	Documents to be submitted (Cl 1.11.5)	Copies of the Audited Balance Sheet for the last three (3) Years i.e., 2018-2019, 2019-2020 and 2020-2021 along with the Profit & Loss Account	Page-7	Copies of the Audited Balance Sheet for the last three (3) Years i.e., 2018-2019, 2019-2020 and 2020-2021 along with the Profit & Loss Account. Where bidders are unable to submit audited copies for the year 2020-21, Audited Balance Sheet for the year 2017-18, 2018-19 & 2019-20 along with provisional Balance Sheet for the year 2020-21 has to be submitted.
9	Payment Terms			Payment will be made after complete supply & installation of CCTVs, subject to completion certificate furnished by the Project Consultant

				to his satisfaction. Interim bill, if any, shall be paid subject to complete supply & installation of CCTVs location wise, subject to completion of at least 40% of the total project work certified by Project Consultant to his satisfaction.
10	Last Date and Time for Bid submission (on or before) (Sl No 8)	06 /11/2021 by 02:30 P.M.	Page-2	11 /11/2021 by 02:30 P.M.
11	Date and Time of Opening of Technical Proposals (Sr No 11)	06/11/2021 by 03:30 P.M	Page-2	11/11/2021 by 03:30 P.M

Bidders are requested to kindly note the above. These changes are the integral part of the original RFP. All other part of the RFP will remain unchanged


(Manasij Mukhopadhyay)
Managing Director

Copy communicated for information and necessary action to:

- 1) The General Manager (IDD) and Chairman of the Tender & Purchase Committee.
- 2) D.G.M. (HRMD) of the Bank.
- 3) P.A to Special Officer/Managing Director.
- 4) Sri Somdev Datta, Design Zone (Project Consultant).